

BOROUGH OF WELLSBORO

14 CRAFTON STREET
WELLSBORO, PA 16901

570.724.3186 FAX 570.724.2323

SIDEWALK SPECIFICATIONS

Sidewalk blocks shall be 4 feet wide x 5 feet long, and 5 inches thick.

Use Class A concrete with 6 x 6 wire mesh for enforcing material and 3500 psi.

Sidewalk in driveway shall be 4 feet wide x 5 feet long, 6 inches thick and 4,000 psi.

Borough will remove sidewalk block and provide stone for sidewalk. Stone to be spread by contractor.

Must be handicap accessible at corners to be in accordance with ADA requirement.

All concrete shall have sealer applied.

PERMIT APPLICATION

DATE: _____

PERMIT NO: _____

APPLICANT: _____

ADDRESS: _____

PHONE: _____

OF BLOCKS TO BE REPLACED: _____

PA ONE CALL SERIAL # CONTRACTOR: _____ BOROUGH: _____

SIDEWALK CONTRACTOR: _____

CONTRACTOR CONTACT INFO: PHONE: _____ EMAIL: _____

PERMIT ISSUED THIS _____ DAY OF _____, 20____

BY: _____

TITLE _____

Proud home of Wynken, Blynken, and Nod